

# Site Specific Design, Inc.

1704 Rockwell Road  
Abington, PA 19001



# Invoice

215-887-3730

Date	Invoice #
10/10/2024	77576

Bill To	Ship To
Upper Providence Township Attn: Kevin Matson, Sewer Authority 935 N. Providence Road Media, PA 19063	Upper Providence Township 935 N Providence Road 610-566-5376 Media, PA 19063

Cust. PO #	Terms	Rep	Ship Date	Ship Via		Project
	Net 30	PB	10/10/2024			
Qty	Item Code	Description			Price Each	Amount
1 2.5	Emergency Labor-PB	Replace DH469185 with new twp pump DH914929 180 Foxcatcher Lane Media, PA 19063 Date of service 10/10/24 Technician Pat Brady Arrived on site and found pump DH469185 not in alarm station flooded and pump not running took meter readings all readings were incorrect Pulled pump for further evaluation due to age of pump installed new upper Providence core DH00914929 pump had been installed cycled pump pumps down and shuts off at 5.9 amps pump is running correctly Emergency Weekend/After Hours Rate Emergency Labor rate for Pat			<b>OK TO PAY</b> <b>KEVIN MATSON, PE,</b> <b>OPERATIONS MANAGER</b>  <b>11-11-2024</b>	

All material remains the property of Site Specific Design until final payment.

<b>Subtotal</b>	\$762.50
<b>Sales Tax (0.0%)</b>	\$0.00
<b>Total</b>	\$762.50
<b>Payments/Credits</b>	\$0.00
<b>Total Due</b>	\$762.50

Returned checks will incur a \$25.00 surcharge. If at any time your account runs past due, all shipments may be held pending.