

Site Specific Design, Inc.

1704 Rockwell Road
Abington, PA 19001



Invoice

215-887-3730

Date	Invoice #
1/24/2025	78926

Bill To	Ship To
Upper Providence Township Attn: Kevin Matson, Sewer Authority 935 N. Providence Road Media, PA 19063	Upper Providence Township 935 N Providence Road 610-566-5376 Media, PA 19063

Cust. PO #	Terms	Rep	Ship Date	Ship Via		Project
	Net 30	SGon	1/24/2025			
Qty	Item Code	Description			Price Each	Amount
		DH771046 Kevin Matson (Upper Prov) 1510 N. Ridley Creek Road Media, PA 19063 Date of service 1/24/25 Technician Sebastian Gonzalez Arrived on site to find panel in alarm. Performed meter readings and all readings to pump were good. Switches were good. And wasn't getting any amps due to discharge being frozen. I went to truck to grab my heat gun. I ran the heat gun on the discharge valve for about 45 min to an hour waiting for the discharge to thaw out. Once it thawed out pump amps were running on. 5.7 amps and pump pumped everything down. Pump was from 09/2023.				
1	Service/Ins	Service Call & Inspection Fee			170.00	170.00
1	Labor-SGon	Labor rate for Sebastian			130.00	130.00

All material remains the property of Site Specific Design until final payment.

Subtotal	\$300.00
Sales Tax (0.0%)	\$0.00
Total	\$300.00
Payments/Credits	\$0.00
Total Due	\$300.00

Returned checks will incur a \$25.00 surcharge. If at any time your account runs past due, all shipments may be held pending.